L Number	Hits	Search Text	DB	Time stamp
3	10	5882300.URPN.	USPAT	2004/02/03
				13:17
4	12	("3638642" "3921621" "3949388"	USPAT	2004/02/03
		"4109644" "4186749" "4198987"		13:18
		"4373527" "4573475" "5143171"		
		"5373852" "5511553" "5549113").PN.		
105	9	(((base docking) adj station) near11	USPAT	2004/02/03
		(removable transportable portable)) same		13:43
		(power near11 (inductive coil transformer))		
107	0	(((base docking) adj station) same (power	USPAT	2004/02/03
		near11 (inductive coil transformer))) same		13:45
		(core near11 (hole open\$4))		
106	99	((base docking) adj station) same (power	USPAT	2004/02/03
ļ		near11 (inductive coil transformer))		13:45
108	13	("4041249" "4301525" "4658097"	USPAT	2004/02/03
	!	"5146439" "5398220" "5477511"		13:49
\$4		"5491774" "5548566" "5818800"		
		"5898916" "6038199" "6259657"		
		"6282154").PN.		
109	0	split\$1transformer near11 power near11	USPAT	2004/02/03
		dock\$3	ĺ	14:59
110	0	split\$1transformer near11 power	USPAT	2004/02/03
		_		14:59
111	0	split\$1transformer	USPAT	2004/02/03
				14:59
112	0	splittransformer	USPAT	2004/02/03
		-		15:00
113	1	split\$3transformer	USPAT	2004/02/03
		-		15:01
114	0	split near11 transformer near11 dock\$3	USPAT	2004/02/03
				15:02
115	130	split near11 transformer near11 power	USPAT	2004/02/03
		_		15:13
-	0	patience near5 monitor\$3 near5 (device	USPAT	2004/01/29
		apparatus module)		17:34
-	0	patience near5 monitor\$3	USPAT	2004/01/29
		, , , ,		17:34
- "	2919	patient near5 monitor\$3 near5 (device	USPAT	2004/01/29
		apparatus module)		17:35
-	63	(patient near5 monitor\$3 near5 (device	USPAT	2004/01/29
		apparatus module)) same (wire\$less)		17:41
_	5	(patient near5 monitor\$3 near5 (device	USPAT	2004/01/29
]		apparatus module)) same (power near11		17:41
		(transformer winding))		
_ /	93	(winding transformer coil) same power same	USPAT;	2004/02/02
./		patient same monitor\$3 same (data	US-PGPUB;	16:52
2		information communication)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	877	patient near3 monitor\$3 near3 (remote	USPAT;	2004/02/02
	:	portable movable)	US-PGPUB;	16:52
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	3	(patient near3 monitor\$3 near3 (remote	USPAT;	2004/02/02
		portable movable)) same (power near11	US-PGPUB;	16:55
		(contactless non\$1contact isolat\$3	EPO; JPO;	
		inductive))	DERWENT;	
			IBM_TDB	
-	31	(clifford near2 kelly).inv.	USPAT;	2004/02/02
			US-PGPUB;	17:02
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	268	(600/301).CCLS.	USPAT	2004/02/02
				17:05
-	163	(128/908).CCLS.	USPAT	2004/02/02
				17:49
•	5	5284151.URPN.	USPAT	2004/02/02
				17:12
-	11	("3587564" "3867950" "3937214"	USPAT	2004/02/02
		"4006748" "4109644" "4243044"		17:13
		"4537200" "4715385" "4794532"		
		"4941201" "5025808").PN.		
-	911	(336/200).CCLS.	USPAT	2004/02/02
				17:51
-	0	(split near3 transformer) and	USPAT	2004/02/02
		((336/200).CCLS.)		17:58
-	0	(armature near11 (opening hole cavity)) and	USPAT	2004/02/02
		((336/200).CCLS.)		17:52
-	79	(power near11 winding) and	USPAT	2004/02/02
	540	((336/200).CCLS.)		17:53
-	518	split near3 transformer	USPAT	2004/02/02
_	3	(enlit poor? transformer) and (notice) and	USPAT	18:00 2004/02/02
-	3	(split near3 transformer) and (patient near11 monitor\$3)	USPAI	
_	1074	split near3 transformer	USPAT;	18:24 2004/02/02
-	10/4	aput neary transiville	US-PGPUB;	2004/02/02 18:00
			EPO; JPO;	10100
			DERWENT;	
]		IBM_TDB	
	23	(split near3 transformer) and patient	USPAT;	2004/02/02
		(-F nowie signature) and patient	US-PGPUB;	18:05
			EPO; JPO;	13100
			DERWENT;	
]		IBM_TDB	
-	16	US-5949155-\$.DID. OR US-5506560-\$.DID.	USPAT;	2004/02/02
		OR US-5229652-\$.DID. OR	US-PGPUB;	18:05
		US-6117076-\$.DID. OR US-6095974-\$.DID.	EPO; JPO;	
		OR US-5309918-\$.DID. OR	DERWENT;	
		US-5957838-\$.DID. OR US-5949300-\$.DID.	IBM_TDB	

-	52	patient same (dock docking base) same	USPAT	2004/02/02
		(inductive magnetic contact\$1less		18:28
		non\$1contact) same power		•
-	136	(portable near22 patient) same (ir infrared rf	USPAT	2004/02/03
		wireless)		13:27